



RegO® BR-1780 Series Heavy Duty Brass Final Line Pressure Regulator Repair Kits

RegO® Series Number	Repair Kit Number	Repair Kit Contents
1784 Series	BR-1784-80	Diaphragm assembly, stem and seat assembly, seal, Viton seat
1786 Series	BR-1786-80	Diaphragm assembly, stem and seat assembly, seal, viton seat for oxygen service
1788 Series	BR-1786-80	Diaphragm assembly, stem and seat assembly, seal, viton seat for oxygen service
1784 Series	BR-1784-7SKA	Spring kit for 1784, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1784 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1784, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1784, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1784 Series	BR-1784-7SKB	Spring kit for 1784, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1784 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1784, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1784, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1784 Series	BR-1784-7SKC	Spring kit for 1784, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1784 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1784, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1784, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure

continued

Don't see what you need?

Contact us at: 336.449.7707 or RegOIGLNHG@regoproducts.com

©2021 ECI, LLC. RegO is a registered trademark of ECI, LLC



RegO® 1780 Series Heavy Duty Gas Line Regulator Repair Kits

RegO® Series Number	Repair Kit Number	Repair Kit Contents
1784 Series	BR-1784-7SKD	Spring kit for 1784, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1784 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1784, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1784, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1786 Series	BR-1786-7SKA	Spring kit for 1786, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1786 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1786, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1786, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1786 Series	BR-1786-7SKB	Spring kit for 1786, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1786 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1786, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1786, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1786 Series	BR-1786-7SKC	Spring kit for 1786, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1786 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1786, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1786, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure

continued

Don't see what you need?

Contact us at: 336.449.7707 or RegOIGLNHG@regoproducts.com

©2021 ECI, LLC. RegO is a registered trademark of ECI, LLC



RegO® 1780 Series Heavy Duty Gas Line Regulator Repair Kits

RegO® Series Number	Repair Kit Number	Repair Kit Contents
1786 Series	BR-1786-7SKD	Spring kit for 1786, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1786 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1786, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1786, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1788 Series	BR-1788-7SKA	Spring kit for 1788, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1788 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1788, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1788, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1788 Series	BR-1788-7SKB	Spring kit for 1788, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1788 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1788, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1788, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1788 Series	BR-1788-7SKC	Spring kit for 1788, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1788 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1788, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1788, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure
1788 Series	BR-1788-7SKD	Spring kit for 1788, "A" spring range, 5 to 55 psig (34 o 379 barg) delivery pressure 1788 "B" spring range, 40 to 110 psig (275 to 758 barg) delivery pressure Spring kit for 1788, "C" spring range, 100 to 200 psig (689 to 1378 barg) delivery pressure, Spring kit for 1788, "D" spring range 175 to 300 psig (12 o 207 barg) delivery pressure

Don't see what you need?

Contact us at: 336.449.7707 or RegOIGLNHG@regoproducts.com

©2021 ECI, LLC. RegO is a registered trademark of ECI, LLC